

401 **OPERATION PANEL** ⋖

FIG. 5








FIG. 6











10/12 FIG. **START** PERFORM HP SEARCH PROCESSING S1001 TURN ON LAMP S1002 SEARCH PEAK VALUE OF LAMP LIGHT QUANTITY S1003 S1004 SAMPLE PIXEL CORRESPONDING TO PEAK OF LAMP LIGHT QUANTITY AND ITS PERIPHERAL PIXELS, AND WRITE SAMPLE VALUES IN RAM 506 S1005 **PREDETERMINED** NO TIME ELAPSED (100ms)? YES SAMPLE PIXEL CORRESPONDING TO PEAK OF LAMP LIGHT QUANTITY AND ITS PERIPHERAL PIXELS, AND WRITE SAMPLE VALUES IN RAM 507 S1006-S1007 CHANGE RATE OF RAMS 506 AND 507 LOWER THAN 3% ? NO WRITE IN RAM 508 TIME WHEN CHANGE RATE S1008 BECOMES 3% OR MORE TURN OFF LAMP S1009 -

END







Miscellaneous

10

United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

□ Page(s)	of	•	were not present
for scanning.		(Document title)	-
Transmitte	l page	tour by the	corner.
□ Page(s)	of		were not present
for scanning		(Dommont title)	_

□ Scanned copy is best available.